

CYTOGENE RESEARCH & DEVELOPMENT

Corresponding Office: CSC (B) – 301, 2nd floor, Old Complex, Sahara States,
Jankipuram, Lucknow - 226021

Laboratory: K-51, Agro Park, UPSIDC Industrial Area, Kursi Road (Lucknow)
Dist-Barabanki - 225001

Ph: 77-0309-2222, Email-id: services@cytogene.in

SCANNING ELECTRON MICROSCOPE

Personal Details

Date: _____

- Your details are for our internal uses and record purpose only.
- Samples are generally analyzed on a “first come first serve” basis.
- Your details will not be shared with anyone in any case.
- If sample details are unclear, we may contact you on the details given above.

Name of Candidate	
Designation/Affiliation	
Department/Division	
Organization/Institute	
Corresponding Address	
Purpose of study	
Email ID	
Contact No.	
WhatsApp No	
Comment if any	

Information of samples

Please read the following terms and conditions carefully before filling the form.

In the given Table, please mention the type of sample: Polymer-Rubber/Metallic / Thin films /Carbon materials/Ceramic/ Semiconductor or Others. For “Others”, please specify the details. Also Specify the type of detector to be used i.e., Secondary Electron Detector (SE) or Back Scattered Electron Detector (BSE). Dimension of Thin films should not exceed 1cm*1cm. No magnetic samples will be tested.

Please mention whether EDAX study is required or not. If yes, please mention the type of study required, whether: X-ray mapping/ Line scan/Qualitative microanalysis/Quantitative microanalysis or all of the above.

If the sample(s) are unsafe/hazardous to the personnel and equipment then please mention that in the form and provide appropriate handling instructions too. Please provide sufficient number/Quantity of samples for the analysis. Kindly consult CytoGene for sample/sample preparation before bringing your samples for analysis.

Details of Samples

S.N.	INFORMATION OF SAMPLE	
1	No of Sample	
2	Sample ID	
3	Type of Sample	
4	Nature of Sample	
5	Amount of Sample (Gm or mL)	
6	Gold Coating Required? (Yes/ No)	
7	Study using Detector	
8	EDAX required? (Yes/ No)	

9	Type of EDS analysis	
10	Any Specific Requirement	
11	Comment if any	

Undertaking

- I/We undertake to abide by the sample preparation guidelines, safety standard and precautions during testing of samples. I/We do understand the possibility of samples getting damaged during handling and analysis. I/We shall not claim for any loss/damageto samples.
- A request for additional services on sample that have entered laboratory will be treated as new sample and may postpone estimated delivery date.
- CytoGene shall not take any responsibility about the analysis, interpretation and publication of data acquired by the end user.
- Any Changes in analytical services must be submitted in writing. If these changes are requested after the work has been completed, the client shall be financially responsible for the services rendered.
- I/We hereby declare that the results of the analysis will not be used for the settlement of any legal issue.
- CytoGene, Lucknow reserves the rights to return the samples without performing analysis and will refund the analytical charges (after deduction of GST) under special circumstances.
- All fees are billed directly to the client.
- Results are sent via email after completion of work.

Name of the Candidate:

Signature

Place:

Date: